

Prescription Treatment[®] brand **1600 X-clude[®]**

Timed Release Pyrethrum

FOR USE INDOORS AND OUTDOORS: Hobby Greenhouses, Homes, Interiorscapes and Landscapes.

MAY BE USED ON: Potted and Flowering Plants, Foliage, Bedding Plants, Cut Flowers and Ornamentals.

KILLS AND REPELS: Ants, Aphids, Beetles (Aster Beetles, Blister Beetles, Cigarette Beetles, Colorado Potato Beetles, Cucumber Beetles, Drugstore Beetles, Flea Beetles, Japanese Beetles, Rose Chafers, Trogaderma, Watermelon Beetles, Weevils) Caterpillars (Cabbage Worms, Rose Slugs, Hornworms) Centipedes, Cockroaches, Crickets, Flies, Fungus Gnats, Gnats, House Flies, Leafhoppers, Mealy Bugs, Moths, Rose Aphids, Scale, Spider Mites, Spiders, Stable Flies, Stink Bugs, Tarnished Plant Bugs and Whiteflies.

ACTIVE INGREDIENTS:

Pyrethrins	0.300%
Piperonyl Butoxide, Technical*	2.200%
N-Octyl Bicycloheptene Dicarboximide	0.336%

INERT INGREDIENTS: 97.164%

*Equivalent to 1.76% (butylcarbityl)(6-Propylpiperonyl) Ether and 0.44% of related compounds.

EPA Reg. No. 499-239 EPA Est. No. 499-MO-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements.

**SHAKE WELL BEFORE USING.
SPRAYS IN ANY POSITION.**

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

INDOORS - Hobby Greenhouses, Homes, Interiorscapes: For light infestations treat at five seconds per 100 square feet. For heavy infestations treat at ten seconds per 100 square feet.

Dosage based on 2 foot high plants. Lower or higher dosage should be given based on height of foliage. Move can in a fast sweeping motion to provide maximum coverage maintaining a distance of 18 to 24 inches away from foliage.

SPOT TREATMENT - For individual plants and localized infestations: Spray light mist on upper and lower leaf surfaces at a distance of 18-24 inches away from foliage. Avoid wetting foliage with spray. Repeat application as necessary.

OUTDOORS - Landscapes, Ornamental plants, Shrubs: For best results, spray when air is still. Use slow sweeping motion, holding the can 18-24 inches from plant. Avoid wetting foliage with spray. Spray rows at the rate of one foot per second. For heavy growth spray on both sides. Repeat when necessary.

FOR USE INDOORS AND OUTDOORS ON, BUT NOT LIMITED TO:

African Violets, Agapanthus, Ageratum, Aluminum Plant, Alyssum, Arrowhead, Aster, Azalea, Begonia, Bird's Nest Fern, Blue Spruce, Boston Fern, Bottlebrush, Cactus, Calendula, Camellia, Carnation, Celosia, Chrysanthemum, Cockscomb, Coleus, Cotoneaster, Crape Myrtle, Croton, Dahlia, Daisy, Dianthus, Dogwood, Dusty Miller, Dwarf Lilac, Escallonia, Euonymus, Flat Topped Sedum, Floss Flower, Friendship Plant, Gardenia, Gazania, Geranium, Golddust, Honeysuckle, Hydrangea, Ilex, Impatiens, Ivy, Jade Plant (Crassula), Japanese Aralia, Juniper, Leucothoe, Lilac, Malus, Maranta, Marigold, Mock Orange, Mugo Pine, Nandina, Oleander, Orchid, Ornamental Evergreens, Osmanthus, Pachysandra, Periwinkle, Petunia, Pfitzer Juniper, Photinia, Pineapple Guava, Pittosporum, Podocarpus, Primrose, Privet, Pyracantha, Raphiolepis, Rhododendron, Rose, Salvia, Sansevieria, Scarlet Sage, Snake Plant, Snapdragon, Soft Maple, Spider Plant, Star Jasmine, Strawflower, Swedish Ivy, Sweet Pea, Tahitian Bridal Veil, Velvet Plant (Gynura), Verbena, Wandering Jew, Wax Plant and Zinnia.

DO NOT USE ON: Cyclamen and Nasturtium.

RESIDENTIAL - INDOOR PESTS

COCKROACHES, SPIDERS, SILVERFISH, CRICKETS, FIREBRATS: Make spot treatment. Direct spray on floors, walls, under pallets, behind shelves and drawers. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into trails, nests and points of entry around doors and storage areas. Spray directly on insects in these locations where possible.

FLYING INSECTS - Flies, Moths, Gnats: Close all windows and doors and direct fog upward at a rate of 5 to 8 seconds per 1,000 cubic feet. Disperse in all locations. Keep area closed for at least 15 minutes. Do not remain in treated area. Repeat application as necessary.

RESIDENTIAL - OUTDOOR PESTS

FLIES: Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where insects light or congregate. Repeat as necessary.

ANTS, CRICKETS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestation warrant and as reinfestations occur.

PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. In case of contact flush eyes or skin with water. Wash thoroughly after using and before smoking or eating. Avoid contamination of food, utensils and food preparation areas. Food should be removed or covered before treatment. All food contacting surfaces and cooking utensils should be covered during treatment or thoroughly cleaned before use. Remove pets and birds and cover aquariums before using.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate. Do not use or store near open flame. Exposure to temperatures above 130°F may cause bursting. Do not store below 32°F. Do not spray where electrical short circuits might result, such as wall outlets, conduits, motors, switches, etc. Do not spray directly into any electronic equipment such as radios, televisions, computers, telephones, etc.

SPECIAL NOTICE: Do not use 1600 X-clude® in greenhouses with unvented or defective gas heating systems or when open combustion exists.

ADDITIONAL WARNINGS: Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (above 65°F) for 24 hours before application.

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury

or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application. Plants in bloom should not be treated since petal damage may occur.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place away from heat or open flame and inaccessible to children. Do not store below 32°F.

PESTICIDE DISPOSAL: Securely wrap container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682

www.wmmg.com

© 1999 Whitmire Micro-Gen Research Laboratories, Inc.



1600 X-clude Timed Release Pyrethrum