

Deadline[®] Granules

ONE LAST MEAL FOR SLUGS AND SNAILS

Patent No. 4,961,929

Active Ingredient:

Metaldehyde
(2, 4, 6, 8-Tetramethyl-1, 3, 5, 7-tetraoxocyclo-
octane)..... 4%

Inert Ingredients:..... 96%
Total 100%

EPA REG. NO. 64864-2
EPA EST. NO. 64864-WA-3

EFFECTIVE

DEADLINE GRANULES excel at attracting and destroying slugs and snails.

LONG LASTING

Resistant to rain and watering. DEADLINE GRANULES are not easily dissipated by water.

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes, or clothing. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

STATEMENT OF PRACTICAL TREATMENT:

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If in eyes: Flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.

If on skin: Wash thoroughly with soap and water.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear: coveralls, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

AGRICULTURAL:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

Apply as a soil surface treatment. May be broadcast by air or ground equipment unless specified otherwise in the label. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant. May be applied to the following crops to protect from slugs and snails.

FIELD CROPS: Cereal grains, corn, legumes, mint: Apply 10 to 40 lbs. per acre.

TOBACCO: Field, greenhouse, lathouse: Apply 12 to 40 lbs. per acre, or 1 lb. to 1,100- 3,600 sq. ft.

SEED CROPS: Sugarbeets, flowers, grasses, vegetable and legume crops grown for seed: Apply 10 to 40 lbs. per acre.

VEGETABLES: Asparagus, beans, beets, black-eyed peas, broccoli, brussel sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, legumes, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons: Apply 20 to 40 lbs. per acre.

ARTICHOKES: By air or ground application before tight bud stage, apply 25 to 70 lbs. per acre. After tight bud stage, apply by ground application only.

TREE CROPS: Citrus: Apply 20 to 40 lbs. per acre to give even distribution. Avocado, cherries, peaches, apricots, apples, pears, bananas, papaya: Apply 20 to 40 lbs. per acre.

SMALL FRUIT: Blackberries, blueberries, boysenberries, caneberries, loganberries, raspberries, strawberries, grapes: Apply 10 to 40 lbs. per acre.

TURF & ORNAMENTALS: Ornamental greenhouses; ornamental planting, commercial ornamental nurseries, ground covers; turfgrass areas and grasses grown for sod; dichondra; and around home and building foundations: Normally apply 1/2 to 2 lbs. per 1,000 per sq. ft. Repeat treatment as necessary to maintain control.

For best results, apply in evening. Especially beneficial, if applied following rain or watering. Apply every 3 to 4 weeks during growing season, or as needed.

DO NOT APPLY DIRECTLY TO EDIBLE PORTION OF PLANT.

STORAGE AND DISPOSAL

STORAGE

Do not contaminate water, food or feed by storage or disposal. Use product only from original container and keep in locked storage area away from children and pets. Do not store near food, feed, fertilizers, or other pesticides or seeds.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DEADLINE[®] is a product and a registered trademark of Pace International LP.

NOTES